






LED PROFILE GLOW12 DOWN A1C 4050 RAW ALU.






Spackle in



Architectural

	<ul style="list-style-type: none">• for finishing suspended ceilings• a gentle glow of light on the wall• easy and aesthetically pleasing finish to the edges• profile for finishing of plasterboards with a minimum thickness of 12,5 mm	<p> CE</p> <p> EU industrial designs</p> <p> Made in Poland</p>	 <p>Buy product</p>
---	--	--	--





Basic Informations

EAN: 5901597236733
Index: K7000400
Material: aluminium
Color: raw aluminium
Length [mm]: 4050
Weigh [kg]: 0.774
Country of origin: PL

Measurement unit: qty
Product packaging dimensions [mm]: 4050 x 35,2 x 28,6
Bulk packing [qty]: 40
Master packaging type: Bulk
Product with gross packaging weight [kg]: 30.96

AVAILABLE VARIANTS

1000 mm, 2000 mm, 3000 mm, 4050 mm

Matching elements

DIFFUSERS







**diffuser C click 20m reel
opal /pack**
index: 76360038S



**diffuser A1 slide 2000
opal**
index: J6000938



**diffuser A1 slide 2000
frosted**
index: J6000939



**diffuser A1 slide 2000
transparent**
index: J6000916

END CAPS



**end cap GLOW12 grey
[20pcs]**
index: K7999922